
# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.







# VILLIS E VERGREENS SPECOLMEN TREES

Page 2

650,00

400.00

00,088

650.00 550,00

# FOR FALL 1946 DELIVERY

400,00 You have more time to plant -- We have more time to Chinorais fonine (Roovos J.)

Chinonsis columnaris, Green (Green Columnar J.)

400,00 Every tree offered has received individual attention: Grown with plenty of space in and between rows, sheared by skilled workers for compactness and symmetry, frequent-ly sprayed or dusted for health, and constantly cultiof vated all surrer.

You can't buy better evergreens.

PRICES: Prices in this list cancel all previously published prices.

00.30 trees (any assortment) 0 100 rate 00.35 trees (any assortment) 0 10 rate Less than 5 trees - - - C each rate

500,00 400,00 850,00 Packing charged at cost, except in bulk truck or carlot shipments. 88,4 - - - - -

OD COL CTERIS: All accounts due first of second month following date of invoice to firms of established credit. 2% discount for payment in 10 days from date of invoice. C.O.D. orders must be accompanied by one-fourth cash.

LABOR is still scarce so we will be limited in the amount of evergreen business we can handle this fall. We urge you to place your orders promptly to avoid disappointment. a - - - - - - - - Boilout 18-24 inches - - - - - - 2.75 25.00 15-16 inches - - - - - 2.25 20.00 12-15 inches - - - - - - 2.25 15.50

WILLIS NURSERY CO. OTTAWA KANSAS

Communic historia (Trich J.) ---- 3.00 27.50 250.00

Corrumis Mibornica fastigista (Nerrow Irish J.)

4-3 foot - - - - - - - - - - - - - 3.25 50.00

53-4 foot - - - - - - - - - - - - 5.00 27.50

5-5 foot - - - - - - - - - - - - 8.50 82.00 275,00 00.288 180,00 175.00 00,08 

OTTATA, LAMEAS

## JUNIPER

Chinensis 6-7 feet		65.00 55.00	Per 100 600.00 500.00 400.00
Chinensis columnaris, Blue (Blue Column 6-7 Feet	6.50 4.80	70.00 60.00 44.00 38.50	650.00 550.00 400.00 350.00
Chinensis columnaris, Green (Green Columnaris, Green Green Columnaris, Green Gr		70:00	650.00 550.00 400.00
5-6 feet	vinain	55.00 44.00	500.00
5-6 feet	- 6.00	55,00 44.00 58.50	500.00 400.00 350.00
Chinensis pfitzeriana, Hills Golden 3-3 feet Chinensis pfitzeriana, Staked Upright 4-4 feet	4.00	36.00	600.00
3½-4 feet	6.00 4.80 4.25	55.00 44.00 38.50	500.00
Chinensis Procumbens  18-24 inches	2.75 2.25 1.75	25.00 20.00 15.50	225.00 175.00 155.00
Communis (Common J.)  3-4 feet	3.65 2.50 1.80	33.00 22.00 16.50	300.00
Comunis depress plumosa (Andorra J.) 2-25 feet 18-24 inches 15-18 inches 12-15 inches	3.25	30.00 25.00 20.00 15.50	275.00 225.00 175.00 <b>135.</b> 00
Communis hibernica (Trish J.)  5-6 feet	3.00 2.75 2.35 2.00	27.50 24.00 21.00 17.50	250.00 215.00 185.00
Communis hibernica fastigiata (Narrow I: 4-5 feet	3,25	50.00 27.50 22.00 20.00	275.00 225.00 190.00 175.00

PIATED VIDERUM SILIN

#### JUNIPER

3 6 24

OTTAKEN, IMPERE

TAXABILI CO	Each	Per 10	Per 100
OOL TIE OF THE ROLL TO			
Excelsa stricta (Spiny Greek J.)	6.00	55.00	500.00
00 3-4 feets	4.80	44.00	400.00
2g-3 feet	3.65	33.00	300.00
00 2-2 feet	2.85	26.50	250.00
Japonica	Acc .	0004 3	413
3-32 feet	4.50	41:00	375.00
24-3 foot	3.25	30.00	275.00
00.02-22 feet -1	2.75	25.00	225.00
00 018-24 inches	2.25	20.00	175.00
Japonica, Upright (Irregular Upright, Lig	ght	tut, Car	rolugo 8
00, 30% 00 08 green whip cord folia	ge.)	CE 00	600.00
5-6 feet	7.00	65.00	500.00
	4.80		400.00
Sabina (Savin Junipor)	1 .		-16
00.023-3 foot	3.65	33.00	300.00
2-22 feet	3.00	27.50	250.00
18-24 inches	2.50	22.50	200.00
Sabina tamariscifolia (Tamarix Savin J.)			The second second
2½-3 feet	3.75	35.00	325.00
18-24 inches	2.75	25.00	225.00
15-18 inches	2.25	20.00	175.00
Sabina Von Erron (Von Erron's J.)	Direct Control	VG . 0 380	100
23-3 foot	3.65		300.00
2-22 feet	3.00	27.50	250.00
15-18 inches	2.25	20:00	
Sabina Von Eleron, Globes	- duine	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Sabina Von Elron, Globes	5.75	35.00	325.00
00 018-24 inches	3.25	30.00	275.00
15-18 inches	2.35	25.00	190.00
		- 3003	0-3
Scopulorum (Colorado Silver J.) Solocted			To Francis
sheared.	6.00	55.00	500.00
4-5 feet	4.80	- 44.00	400.00
		38.50	350.00
m 7 m 1/m 7 16 7 7 7 1 0 0 1 1 7	. 41*		3-3
00.06-7 feet	7.50	70.00	650.00
	6.50	60.00	550.00
Sopulorum (Selected green) Grafted	4	- foot	ded
00 6-7 feet	7.50	70.00	650.00
08 000 00:00 08.8	0,00	300.00	2.0
		1 1 1 ·	
00.000 00.00 00.0	10 9	0000	Peg
WILLIS NURSERY COMPANY		OTTA A,	KANSAS

#### JUNIPER

SEEL TOTAL

Dan For 10 For 100		1.0000	A District
	Each		Por 100
(.L dee D y	urde)		
Scopulorum, Chandlers		- 0001	Const
00.0546 feet - 40	6.50	-60.00	550.00
00 4-5 foet	5.50	50.00	
00.032-40 feet 20S	4.80	44.00	TO 100 100 100 100 100 100 100 100 100 10
3-3 feet	4.35	38.50	350.00
23-5 feet	3.35	33.00	300.00
00 2-25 feet	-3.00	27.50	250.00
	DE 100 DE	doo't S	8-8
Scopulorum columnaris	100 mm	Jost &	
4-5 foot	5.50		450.00
00 31-4 foot	4.80	44.00	
02-4-1000	1.00	71,000	100,00
Stopulorum, Garce's, Globes Tolling	OF LES	Pact .	
18-24 inchos	2 05	30.00	
		The second second	
15-18 inches	2.70	25.00	225.00
		- 4007	
Scopulorum, Hill's Silver		0.001 9	-60
	- 4.80	44.00	400.00
	4.25	38.50	350.00
00 022-3 feet	3,65	33.00	300.00
00.02-22 feet -0,	-3.00	27.50	250.00
00.000 08,50 28,50 200.00	BO		-BI
			1120
(,b-nived xize(sir)	siloin	singris	o inlass
Scopulorum, Crawford. One of our own so	oloctio	ns	
that we consider so much superior			S-S
00 now on the market that we have been			
ing it for a number of years. It h			
feathery, silvery-blue foliage and			
		res	
compact pyramidal habit of growth.	Requi		
compact pyramidal habit of growth. overy little shearing to keep within	Requi		
compact pyramidal habit of growth.  very little shearing to keep within Blight resistant.	Requi bound	stor C	7 anius3
compact pyramidal habit of growth.  overy little shearing to keep within Blight resistant.	Requirements to the second sec	stor C	550,00
compact pyramidal habit of growth.  very little shearing to keep within Blight resistant.	Requirements to the second sec	stor C	550,00
compact pyramidal habit of growth.  very little shearing to keep within Blight resistant.	Require bound	60.00	-21-
compact pyramidal habit of growth.  very little shearing to keep within Blight resistant.	Require bound	60.00	-21-
compact pyramidal habit of growth.  very little shearing to keep within Blight resistant.	Require bound	60.00	-21-
compact pyramidal habit of growth.  very little shearing to keep within Blight resistant.	Require bound	60.00	-21-
compact pyramidal habit of growth.  very little shearing to keep within Blight resistant.	Require bound	60.00	-21-
compact pyramidal habit of growth.  very little shearing to keep within Blight resistant.	Require bound	60.00	-21-
compact pyramidal habit of growth.  Overy little shearing to keep within Blight resistant.  O 5-6 feet	Require bound 6.50 6.50 5.50	60.00 50.00	550.00 450.00
compact pyramidal habit of growth.  Overy little shearing to keep within Blight resistant.  Scopulorum horizontalis  5-6 feet	Require bound 6.50 6.50 5.50	60.00 50.00	550.00 450.00
compact pyramidal habit of growth.  Overy little shearing to keep within Blight resistant.  5-6 feet	Requirements of the second sec	60.00 50.00 60.00	550.00 450.00 550.00
compact pyramidal habit of growth.  Overy little shearing to keep within Blight resistant.  5-6 feet	Require bound 6.50 6.50 6.50 7.50	60.00 50.00 50.00	550.00 450.00 550.00
compact pyramidal habit of growth.  Overy little shearing to keep within Blight resistant.  O 5-6 foot	Require bound 6.50 6.50 6.50 7.50 6.50	60.00 60.00 50.00 70.00 60.00	550.00 450.00 550.00 550.00
compact pyramidal habit of growth.  Overy little shearing to keep within Blight resistant.  O 5-6 feet	Require bound 6.50 6.50 6.50 7.50 6.50	60.00 60.00 50.00 70.00 60.00	550.00 450.00 550.00 550.00 450.00
compact pyramidal habit of growth.  Overy little shearing to keep within Blight resistant.  O 5-6 feet	Require bound 6.50 6.50 7.50 6.50 5.50	60.00 60.00 50.00 70.00 60.00	550.00 450.00 550.00 550.00 450.00
compact pyramidal habit of growth.  Overy little shearing to keep within Blight resistant.  5-6 feet	Requirements of the second sec	60.00 60.00 50.00 70.00 60.00 50.00 44.00	550.00 450.00 550.00 550.00 450.00 400.00
compact pyramidal habit of growth.  Overy little shearing to keep within Blight resistant.  5-6 feet	Requirements of the control of the c	60.00 60.00 50.00 70.00 60.00 50.00 44.00 38.50	550.00 450.00 550.00 650.00 450.00 400.00 350.00
compact pyramidal habit of growth.  Overy little shearing to keep within Blight resistant.  5-6 feet	Requirements of the second sec	60.00 60.00 50.00 60.00 60.00 50.00 44.00 38.50 33.00	550.00 450.00 550.00 550.00 450.00 400.00 350.00 300.00
compact pyramidal habit of growth.  O very little shearing to keep within the slight resistant.  O 5-6 feet  O 4-5 feet  Scopulorum, Isnyon's  5-6 feet  O 5-6 feet	Require bound 6.50 6.50 7.50 6.50 4.80 4.25 3.65	60.00 60.00 50.00 60.00 60.00 50.00 44.00 38.50 33.00	550.00 450.00 550.00 650.00 450.00 400.00 350.00
compact pyramidal habit of growth.  O very little shearing to keep within Blight resistant.  5-6 feet  Scopulorum horizontalis  5-6 feet  5-7 feet  5-6 feet  5-7 feet  5-7 feet  5-7 feet  5-8 feet  5-9 feet	Require bound 6.50 6.50 5.50 4.80 4.25 3.65	60.00 60.00 50.00 70.00 60.00 50.00 44.00 38.50 33.00	550.00 450.00 550.00 550.00 450.00 400.00 350.00 300.00
compact pyramidal habit of growth.  Very little shearing to keep within Blight resistant.  5-6 feet	Requirements of the control of the c	60.00 60.00 50.00 60.00 60.00 44.00 38.50 33.00	550.00 450.00 550.00 450.00 450.00 350.00 300.00
compact pyramidal habit of growth.  very little shearing to keep within Blight resistant.  5-6 feet	Requirement of the control of the co	60.00 60.00 50.00 70.00 60.00 50.00 44.00 58.50 53.00 60.00 50.00	550.00 450.00 550.00 550.00 450.00 400.00 350.00 350.00 450.00
compact pyramidal habit of growth.  very little shearing to keep within Blight resistant.  5-6 feet	Require bound 6.50 6.50 5.50 4.80 4.25 3.65	60.00 60.00 50.00 70.00 60.00 50.00 44.00 58.50 53.00 60.00 60.00 44.00 50.00 44.00	550.00 450.00 550.00 550.00 450.00 400.00 550.00 450.00 450.00 450.00 400.00
compact pyramidal habit of growth.  very little shearing to keep within Blight resistant.  5-6 feet	Requirement of the control of the co	60.00 60.00 50.00 70.00 60.00 50.00 44.00 58.50 53.00 60.00 60.00 44.00 50.00 44.00	550.00 450.00 550.00 550.00 450.00 400.00 350.00 350.00 450.00
compact pyramidal habit of growth.  very little shearing to keep within Blight resistant.  5-6 feet	Require bound 6.50 6.50 5.50 4.80 4.25 3.65	60.00 60.00 50.00 70.00 60.00 50.00 44.00 58.50 53.00 60.00 60.00 44.00 50.00 44.00	550.00 450.00 550.00 550.00 450.00 400.00 550.00 450.00 450.00 450.00 400.00
compact pyramidal habit of growth.  very little shearing to keep within Blight resistant.  5-6 foot	Requirement of the control of the co	60.00 60.00 50.00 70.00 60.00 50.00 44.00 58.50 53.00 60.00 50.00 44.00 58.50 53.00	550.00 450.00 550.00 650.00 450.00 450.00 350.00 350.00 350.00 350.00 350.00
compact pyramidal habit of growth.  very little shearing to keep within Blight resistant.  5-6 foot	Require bound 6.50 6.50 5.50 4.80 4.25 3.65 6.50 4.25 6.00	60.00 60.00 50.00 60.00 60.00 50.00 44.00 38.50 33.00 60.00 44.00 38.50 33.00	550.00 450.00 550.00 550.00 450.00 400.00 350.00 450.00 450.00 450.00 450.00 550.00
compact pyramidal habit of growth.  very little shearing to keep within Blight resistant.  5-6 foot	Requirement of the control of the co	60.00 60.00 50.00 60.00 60.00 50.00 44.00 38.50 33.00 60.00 44.00 38.50 33.00	550.00 450.00 550.00 650.00 450.00 450.00 350.00 350.00 350.00 350.00 350.00
compact pyramidal habit of growth.  very little shearing to keep within Blight resistant.  5-6 foot	Require bound 6.50 6.50 5.50 4.80 4.25 3.65 6.50 4.25 6.00	60.00 60.00 50.00 60.00 60.00 50.00 44.00 38.50 33.00 60.00 44.00 38.50 33.00	550.00 450.00 550.00 550.00 450.00 400.00 350.00 450.00 450.00 450.00 450.00 550.00

#### JUMIPER

		Each	Por 10	Por :	100
Virginalis, Derk Groen (Bu	ish J.)				
4-5 foot 55-4 foot	310 000 010 000 010 000 010	5.50	50.00		
5-3- foot		3.65	33.00	300.	.00
2-5 foot 2-2- foot		5.00	27.50		
	eblor your	2.50	20.00	200.	,00
Virginalis, Light Green (1	Bush J.)	E CE	EZ O	300.	00
2½-5 foot		3.65	33.00		
2-2- foot 18-24 inches		2.50	22.50		
18-24 inc.ics	The real of the second of the	2.25	20.00	175.	,00
2 2 4 25 86 90 850 00	e de la company	000 big 90	E SANGE OF STREET	Albert Street approximate when	- See - John world
Virginiana, Blue Rapids.	Also sometimes	callo	d Fovi	ins Blu	10.
The foliage has a blu	aish east and t	ho tro	cis a	vicor	ous
grower. Pyranidal ha		sistan	lu. No	stror	TETA
6-7 foot		7.50	70.00	AU - THE -	
5-6 foet		6.50	50.00		
3-4 fost		4.25	38.50	350	.00
2-5 feet		5.00	27.50	250.	.00
00.000 00.00 00.1			7 - 3 2	-	
Virginiana burki (Burk J.)		6.50	60.00	550.	.00
00 0 31-4 foot		5.50	50.00	450.	.00
		5.00	45.00		
17/0 7 7 7 7		3.65	53.00		
Virginiana canaerti (Canac	art T 1 / ser T. se			'ar at -	
00.86-7 root		8.00	75.00		
5-6 feet	100 to 10 top 1 may 1 ma	6.00	65.00	600.	
33-4 foot		5.50		450	
2-3-3 foot		4.80	44.00		
2-25 foot	mentally maked the control and an arrange and a	4.25	38.50		
Wandalana augustanidalia	Correct				
Varginiana cuprossifolia (	Cypressu.,	5.50	50.00	450.	00
00.003-5% feet 0		4.80		400:	
2-2- foot		4.25.		350.	
	0-1-2+1- D - 0-				
Virginiana elegantissima (	GOLOTIP ELO CO	6.00	55.00	500.	00
00.0 4-5 foot		4.80			
Virginiana glauca (Silver	Red Codar)				
2-25 feet		3.65	33.00	300.	00
	0127	,			
00,000 00 377 877 00	LY TOOTA DESCRI	V. J. E.L.	A STATE	EU ISRU	
WILLIS MURSHLY CO PARY.	00 to 00 to 00 to		OTTATA	, KAI	AS

STATEDANG

n (ana) n n n n n n n n n n n n n n n n n n	Each	Par 10	Por 100
			78
Charles and the second of the	of the own		mer ( -
Virginiana hetoleeri (Neteleer J.) Ti			
dark-green foliage that holds its			
winter and becomes denser with age			
branches very well even when trans	planted	L. This	tree
shapes up well and very little she	aring i	s requi	red to
00 00 keep it symmetrical.	7.50	70.00	650.00
4-5 feet	5.50	50.00	450.00
3-4 foet	4.25	38.50	350.00
. SALU SERVO, BOLLED BOLLED OS BALA . 25.	Committee of the control of the cont		
Virginiana pondula (Teoping Red Codar)	2001 00	olfor a	
11300 6-7 foot	7.50	70.00	650.00
Virginiana hilli (Will's Dundec J.)	v bills	brus no	
6-7 foot	7.50	70-00	650.00
00. 3-4 foot	-4.25	58.50	350.00
00 000 00.00 00.0		2003 5	
Virginiana schotta (Schott J.)		75.00	700.00
6-7 foot	7.00	65.00	600.00
4-5 foot	6.00	55.00	500.00
00.0351-4 foot 02.1	4.80	44.00	400.00
00.073-34 foot 02.4	4.25	58.50	350.00
00.003 00.30 85.4		Jool 8-	
00.000 00.32 88.8 PINES		1002 S	
Montana mughus (Kugho Pine) (. 5 process)			
00.00 23-5 foot 04.2			325.00
00.002-29 foot 04,	3.25	30.00	275.00
Nigra (Anstrian Pino)			
00 00 5-6) foot	6.00	55.00	500.00
00.002-5 foot - S	4.30	44.00	400.00
2-3 foot	3.65	35.00	
Aia (Cypyessi.)	2.70	25.00	225.00
Ponderosa (Western Yellow Pine)			
00.004-5 feet -0-, -	5.00	45.00	400.00
00.003-4 foot	2 75	35.00	300.00
2-3-1-000	6.10	20.00	200.00
Sylvestris (Scotch Pine) Marth 100) mat	af4may	Lio ana.	tota stv
00.005-8) foot -02. 2	7.00	65.00	
4-5 foot	3.65		450.00
5-4 feet (12)2)-)	5.00	27.50	250.00
00.008 00.85 25.00		tool S	-2-
ARBOR VITAE			10022
Wall La V January and Carl and	1 2 2 3 1		
Thuja Orientalis (Chinose Arbor Vitae)	100	L. beat	
5-6 feet	3.65	33.00	300.00
3-4 foot	3.00	27.50	250.00
2-5 foot	1.55	14.00	125.00
18-24 închos	1.25	11.00	100.00

#### JUNIPER

Each Per 10 Per 100

## ARBOR VITAE (CONT.)

Thuja Or. Aurea nana (Berckmann's Golden These trees are all well grown speci and grown with plenty of breadth, no with slender trees of the same heigh	mens,	well s	haped
3½-4 feet	5,50	50.00	450:00
	4,25	38.50	350:00
	3,25	30.00	275:00
	2,50	22.50	200:00
18-24 inches	2.00	18.00	165.00
Thuja Or. bonita  18-24 inches	1:85		150.00
Thuja Or. Excelsa  5-6 feet	4.25	38.50	350.00
	3.65	33.00	300.00
	2.75	25.00	225.00
	2.25	20.00	175.00
Thuja Or. Holmans 5-6 feet	5.50	50.00	450:00
	4.25	38.50	350.00

BARTIANIA, MARTEN

WILLIS NURSERY COLFAIN